




ASSEMBLY INSTRUCTIONS

NLHF 9650-LS LOVESEAT

SKU#: 14296520,14296532

Version# 1-Date 2025/05/19

Manufactured by NLHF for Rooms To Go




LIST OF PARTS

TOOLS REQUIRED:NO TOOLS REQUIRED

PART LIST

NO	Description	Sketch	Quantity
A	Seat Frame		1
B	Left Back Cushion		1
C	Right Back Cushion		1
D	Leg		4
E	Allen Bolt ØM8*30mm		12
F	Lock Washer M8		12
G	Flat Washer M8*Ø19*1.5mm		12
H	Allen Key M5*100*38mm		1


Location of KD parts




*** **Caution:** Please read all instructions carefully before starting the assembly process. These parts are cumbersome and heavy. Therefore, two people are recommended in order to prevent personal injury and insure the parts are not damaged during the assembly.

ASSEMBLY INSTRUCTIONS

STEP 1: Take out legs from the zippered pocket.




STEP 2: Align wood legs (D) to the pre-drilled holes, insert washers (F), (G) and bolts (E), then use Allen Key (H) to tight the legs.



ASSEMBLY INSTRUCTIONS

STEP 3: Attach the Back Cushion (B), (C) to Back Frame by zipper.



CARE AND CLEANING

*Upholstered furniture is packaged tightly to protect it during transit. This packaging can sometimes cause creases or misshaped cushions when the furniture comes out of the packaging. These issues will correct themselves over time as the fibers of the cushions are exposed to air. However, shaping the cushions with your hands can alleviate the creases and compressed fibers more quickly.



Before shaping



After shaping



*Dust often and use a vacuum cleaner to remove debris from seams and crevasses.

*Use a soft damp cloth to gently clean soiled areas and wipe clean. Do not rub.


*Do not use household cleaners or solvents. Such cleaners may cause damage and/or discoloration.

*Do regularly use dedicated leather care product onto the leather furniture to prevent built up of body oils.

***** Caution:** Please read all instructions carefully before starting the assembly process. These parts are cumbersome and heavy. Therefore, two people are recommended in order to prevent personal injury and ensure the parts are not damaged during the assembly.


WARNINGS

*Keep unit at least 4 inches from the wall.



*Keep unit at least 24" from all heat sources.

*Avoid placing unit in areas where unit can be exposed to direct sunlight or other powerful light sources, as fading or discoloration may occur.



*Do not reach under seat when mechanism is operating or serious injury may occur.

*Reclining mechanism should only be operated while seated properly.



*Do not sit on arms or backrest.

*Do not jump or roughhouse on furniture.



*If unit must be moved, do not drag. Unit must be lifted in order to be moved.



*Do not continuously operate mechanism for more than one minute or unit may go into protection mode by shutting down to prevent overheating.

*Unplug unit from power source prior to cleaning mechanism.

*Do not allow electrical components to come into contact with any liquids.