


Item # : AF42RAYCT

Assembly Instructions




Walker Edison®

Please visit our website for the most current instructions, assembly tips, report damage, or request parts. www.walkerediton.com

Revised 20/10/2020(I)


General Assembly Guidelines

- I. Ensure that all parts and hardware are available before beginning assembly.
- II. Follow each step carefully to ensure the proper assembly of this product.
- III. Two people are recommended for ease in the assembly of this product.
- IV. The main type of hardware used to assemble this product are: bolts and screws.
- V. Power tools should not be used to assemble this product.



- VI. Drill may be needed for securing product to wall.

Parts List




Hardware List

A		M6x15mm	Bolt	16 pcs
B		M 4	Hex key	1 pc
C			Glass pad	12 pcs


*The hardware quantities listed above are required for proper assembly.
Some extra hardware may also have been included.*

Step 1




Using bolt (A) secure part (5) to part (4) with hex key (B) as per diagram.

Step 2




Using bolt (A) secure part (5) to part (4) with hex key (B) as per diagram.

Step 3




Using bolt (A) secure part (5) to part (2) with hex key (B) as per diagram.

Step 4




Tear off glass pad (C) and place it on part (4) as per diagram.

Step 5




Place part (3) to part (4) carefully as per diagram.

Step 6




Tear off glass pad (C) and place it on part (2) as per diagram.

Step 7




Place part (1) on the top of part (2) carefully as per diagram.

Step 8



Position the assembled unit at the desired location, if necessary adjust the floor leveler at the bottom of the leg to level the unit.

Step 9



Final Assembly