


General Assembly Guidelines


- I. Ensure that all parts and hardware are available before beginning assembly.
- II. Follow each step carefully to ensure the proper assembly of this product.
- III. Two people are recommended for ease in the assembly of this product.
- IV. The three main types of hardware used to assemble this product are : wood dowels , screws and bolts.
- V. The provided glue is to secure wood dowels in place . When first inserting dowels , locate the appropriate hole for the dowel , place a small amount of glue in the hole and insert the dowel . Wipe away excess glue immediately.




In future assembly steps when dowels are necessary to attach assembly parts together , place a small amount of glue on the end of the dowel before attaching parts together . Wipe away excess glue immediately.




VI. A Phillips head screwdriver is required for the assembly of this product .




VII. Power tools should not be used to assemble this product .




VIII. Concealed hinges are three-way adjustable.




Horizontal by screw adjustment




In-and-Out by loosening the hinge-arm mounting screw or via cam adjustment





Vertical Via slots in the mounting plate or via cam adjustment





		Hardware	List		
А		Ø8x30mm	Wooden dowel	12	pcs
В		Ø6x32mm	Cam bolt	12	pcs
С		Ø15x9.5mm	Cam lock	12	pcs
D	\bigcirc		Sticker	12	pcs
Е		Ø6x15mm	Bolt	8	pcs
F		Ø6x30mm	Bolt	4	pcs
G	6		Flat washer	12	pcs
н	\bigcirc		Lock washer	12	pcs
J			Shelf support pin	4	pcs
K	(Summunu	Ø4x18mm	Handle Bolt	4	pcs
L	L.		Handle	2	pcs
М	SA S		Europe hinge	4	pcs
Ν	Daman	Ø4x12mm	Bolt	24	pcs
Ρ			Screw	14	pcs
Q		Ø3x15mm	Screw	2	pcs
R	(e e)		Door stopper	1	рс
S	<	Ø3x16mm	Screw	1	рс
Т		Ø4x25mm	Screw	1	рс
U			Plastic strap	1	рс
V	UCO .		Nut	1	рс
W		M 4	Hex Key	1	рс
Х	000		Plate	4	pcs
Y			Glue tube	1	рс
	Philips head screwdriver required for assembly (not included)				
The hardware quantities listed above are required for proper assembly. Some extra hardware may also have been included.					




















Using cam lock(C) secure part (7) to part (3) with Philips head screwdriver .and using bolt (E) with lock washer (H),flat washer (G) secure plate (X) to part (3) with hex key (W) as per diagram. Place sticker (D) cover the holes as per diagram finally.





Insert shelf support pin (J) into part (2) as per diagram. Make sure you place the four shelf support pins (J) in the same level. So the shelf is not titled .Put part (4) into unit as per diagram. Tilt and rest the adjustable shelf(4) onto the shelf support pins .



Using screw (N) attach Europe hinge (M) to parts (6,8) , then using handle bolt (K) secure handle (L) to parts (6,8) with Philips head screwdriver as per diagram.

