
## Item # : B48PCSB Assembly Instructions




Please visit our website for the most current instructions, assembly tips, report damage, or request parts. www.walkeredison.com

Revised 08/2017

## **General Assembly Guidelines**


- I. Ensure that all parts and hardware are available before beginning assembly.
- II. Follow each step carefully to ensure the proper assembly of this product.
- III. Two people are recommended for ease in the assembly of this product.
- IV. The three main types of hardware used to assemble this product are: wood dowels, screws and bolts.
- V. The provided glue is to secure wood dowels in place. When first inserting dowels, locate the appropriate hole for the dowel, place a small amount of glue in the hole and insert the dowel. Wipe away excess glue immediately.




In future assembly steps when dowels are necessary to attach assembly parts together , place a small amount of glue on the end of the dowel before attaching parts together . Wipe away excess glue immediately.




VI. A Phillips head screwdriver is required for the assembly of this product.



VII. Power tools should not be used to assemble this product.






## Hardware List

A		Ø8x30mm	Wooden dowel	8	pcs
В		Ø6x32mm	Cam bolt	8	pcs
С		Ø6x35mm	Cam bolt	12	pcs
D		Ø15x11mm	Cam lock	20	pcs
Е		M6*25	Bolt	4	pcs
F		M6*12	Bolt	4	pcs
G	-mmm->	M4*15	Screw	24	pcs
Н			Hinge	2	pcs
J		M30	Sticker	20	pcs
K			Cotton pad	2	pcs
L			Right hinge	1	рс
М			Left hinge	1	рс
N		M4	Wrench	1	рс
Р		Glue tube Philips head screwdriver required for assembly (not included)		1	рс


The hardware quantities listed above are required for proper assembly.


Some extra hardware may also have been included.

## Step 1




Insert wooden dowel (A) into side panel (5,6) and parts (9).







Insert side panel (5,6) to panel (4), then insert and secure cam lock (D) to side panel (5,6) to lock it.











Insert parts (9) into panel (4), then insert and secure cam lock (D) to parts (9) to lock it.






Insert panel (3) into side panel (5,6), then insert and secure cam lock (D) to parts (9) and side panel (5,6) to lock it.




Insert side frame (7) into panel (3,4), then insert and secure cam lock (D) to panel (3,4) to lock it.





lock it.

Step 9





Use wrench (N) to secure side panel (5,6) to side frame (7) with bolt (E).





Secure hinge (H) to top panel (1) with screw (G). Place cotton pad (K) as per diagram.





Place sticker (J) over holes as per diagram.

