

REV 01



33531B Twin Bed

PLEASE CONTACT US FOR QUESTIONS

Email our support team: help@ovis.co

CAUTION:

Do not attempt to slide the bed once it is fully assembled. To avoid structural damage while moving your assembled bed, any mattress and bedding should be removed from the bedframe. Then the bedframe should be lifted and carried (not slid) to your desired location.

When placing furniture on non-carpeted flooring, we recommend the use of floor protection such as an area rug or furniture pads. Area rugs and padding not included with purchase.







Weight Limitation

600 lbs

Additional Tools Needed – Phillips Screwdrive.




Bed Parts are shipped inside a compartment in the back of the headboard.





PLEASE CONTACT US FOR QUESTIONS


Email our support team: help@ovis.co


Remove parts from headboard compartment































Repeat steps to assemble right side rail.




NOTE:

Do not attempt to slide the bed once it is fully assembled. Sliding the bed could result in damage to the rails, headboard, or footboard. Assembled bed should be lifted and carried when being moved. (not slid)




First, place the slats roll into the frame of the bed, then extend the slats as shown in next page.



NOTE:

Do not place a mattress on bedframe until it is fully assembled and the bedframe located in your desired location.



NEED ADDITIONAL HELP?

Email our support team: help@ovis.co