















Assembly Instructions

JGWF 318KH-CL/ 318KH-SA KG Headboard SKU#32431811/ 32431835
 JGWF 318KF-CL/ 318KF-SA KG Footboard SKU#32831819/ 32831833
 JGWF 318QKR-CL/ 318QKR-SA QN /KG Rails SKU#32931811/ 32931835

This product is manufactured by JGWF for ROOMS TO GO ►

Code	Hardware List	Q'TY
1	Allen Key M4x57mm 	1 Pc
2	Bolt thread per inch 5/16"x18"x2-1/2" 	4 Pcs
3	Spring Washer 5/16" 	4 Pcs
4	Flat Washer 5/16" 	4 Pcs
5	Screw M4x1-3/8" 	10 Pcs

Code	Part List	Q'TY
B	Legs 	2 Pcs
C	Footboard 	1 Pc
D	Side Rail 	2 Pcs
E	Slats 	5 Pcs
F	Short Support Leg 	10 Pcs
G	Long Support Leg 	10 Pcs



Hardware Pack Location(s):
 King Footboard SKU#32831819/ 32831833




Assembly Instructions

JGWF 318KH-CL/ 318KH-SA KG Headboard SKU#32431811/ 32431835
JGWF 318KF-CL/ 318KF-SA KG Footboard SKU#32831819/ 32831833
JGWF 318QKR-CL/ 318QKR-SA QN /KG Rails SKU#32931811/ 32931835

This product is manufactured by JGWF for ROOMS TO GO ►


***Caution: Please read all instructions carefully before starting the assembly process. These parts are cumbersome and heavy. Therefore, two people are recommended in order to prevent personal injury and ensure the parts are not damaged during the assembly.

STEP 1:



Attach the Legs to Footboard using Bolt (2), Spring Washer (3) and Flat Washer (4).

STEP 2:



Loosen the Bolts which pre-fixed on Headboard & Footboard.
Attach Side Rail to Headboard & Footboard and tighten the Bolts.



Assembly Instructions

JGWF 318KH-CL/ 318KH-SA KG Headboard

SKU#32431811/ 32431835

JGWF 318KF-CL/ 318KF-SA KG Footboard

SKU#32831819/ 32831833


JGWF 318QKR-CL/ 318QKR-SA QN /KG Rails

SKU#32931811/ 32931835

This product is manufactured by JGWF for ROOMS TO GO ►

***Caution: Please read all instructions carefully before starting the assembly process. These parts are cumbersome and heavy. Therefore, two people are recommended in order to prevent personal injury and ensure the parts are not damaged during the assembly.

STEP 3:




Attach Support Legs to Slats.

Style 1 is with 1pc long Support Leg.

Style 2 is with 1pc long & 1 pc shorter Support Leg.

STEP 4:



Fix the Slats on to Side Rails by Screw (5).