

JGWF

Assembly Instructions 1687-KHF UPHL KG Headboard/ Footboard SKU#32416871

1687-KHF UPHL KG Headboard/ Footboard SKU#32416871 1688-KHF UPHL KG Headboard/ Footboard SKU#32416883 1689-KHF UPHL KG Headboard/ Footboard SKU#32416895 1687-RLS UPHL QN/KG Rails SKU#32916871 1688-RLS UPHL QN/KG Rails SKU#32916883 1689-RLS UPHL QN/KG Rails SKU#32916895


Version 1 - 2024/10/30

Manufactured by JGWF for ROOMS TO GO▶

Code	Hardware List	
1	Allen Key M4x100mm	1 PC
2	Bolt Ø5/16-18x 2" Spring Washer 5/16" Flat Washer 5/16"x22mm	8 PCS
3	Bolt Ø5/16-18x 4"1/4 Spring Washer 5/16" Flat Washer 5/16"x19mm	2 PCS
4	Screw M4x1"3/8	10 PCS

Code	de Part List		Q'TY
Т	Long Support Leg		10 PCS
G	Short Support Leg		10 PCS

Code	Part List	Q'TY
A	Headboard	1 PC
В	Headboard legs (Left and Right)	2 PCS
С	Legs	2 PCS
D	Footboard	1 PC
Е	Side Rail	2 PCS
F	Slats	5 PCS



Hardware Pack Location(s):

JGWF 1687/1688/1689-KHF UPHL KG HEADBOARD/FOOTBOARD - SKU#32416871/ 32416883/ 32416895


***Caution: Please read all instructions carefully before starting the assembly process. Theseparts are cumbersome and heavy. Therefore, two people are recommended in order toprevent personal injury and ensure the parts are not damaged during the assembly.

STEP 1: Attach the Legs to Headboard using Bolt (2)& Allen Key (1)

B


B

B



***Caution: Please read all instructions carefully before starting the assembly process. Theseparts are cumbersome and heavy. Therefore, two people are recommended in order toprevent personal injury and ensure the parts are not damaged during the assembly.

STEP 3: Loosen the Bolts which pre-fixed on Headboard & Footboard. Attach Side Rail to Headboard & Footboard and tighten the Bolts.



STEP 4: Attach Support Legs to Slats.
Style 1 is with 1pc long Support Leg.
Style 2 is with 1pc long & 1 pc shorter Support Leg.

Style 2 is with 1pc long & 1 pc shorter Support Leg.

***Caution: Please read all instructions carefully before starting the assembly process. Theseparts are cumbersome and heavy. Therefore, two people are recommended in order toprevent personal injury and ensure the parts are not damaged during the assembly.

