

CANYON LAKE COLLECTION


THANK YOU FOR YOUR PURCHASE

- Read all the instructions, identify all components, and be sure you have all parts prior to assembly.
- DO NOT Use substitute parts. Contact your local Rooms To Go or visit www.ROOMSTOGO.COM for replacement parts and instructional literature if needed.

CONFIGURATIONS

Choose your configuration, read all the instructions, identify all components, and be sure you have all parts prior to assembly


Reference page 3-5 for assembly steps



TWIN PANEL BED

3413400P JAVA 3413401P ASH GRAY


Reference page 6-8 for assembly steps



TWIN PANEL BED WITH ONE STORAGE RAIL

3733400P JAVA 3733402P ASH GRAY


Reference page 9-10 for assembly steps



TWIN PANEL BED WITH TWO STORAGE RAILS

3743400P JAVA 3743402P ASH GRAY


Reference page 11-13 for assembly steps



FULL PANEL BED

3423400P JAVA 3423401P ASH GRAY


Reference page 14-16 for assembly steps



FULL PANEL BED WITH ONE STORAGE RAIL

3753400P JAVA 3753402P ASH GRAY

Reference page 17-19 for assembly steps




FULL PANEL BED WITH STORAGE RAIL & TRUNDLE BED

3763400P JAVA 3763402P ASH GRAY

CONFIGURATIONS


Choose your configuration, read all the instructions, identify all components, and be sure you have all parts prior to assembly

Reference page 20-21 for assembly steps




FULL PANEL BED WITH TWO STORAGE RAILS
3773400P JAVA 3773402P ASH GRAY

Reference page 22-24 for assembly steps




TWIN BOOKCASE BED
3583400P JAVA 3583402P ASH GRAY

Reference page 25-27 for assembly steps




TWIN BOOKCASE BED WITH ONE STORAGE RAIL
3603400P JAVA 3603402P ASH GRAY

Reference page 28-29 for assembly steps




TWIN BOOKCASE BED WITH TWO STORAGE RAILS
3613400P JAVA 3613402P ASH GRAY

Reference page 30-32 for assembly steps




FULL BOOKCASE BED
3623400P JAVA 3623402P ASH GRAY

Reference page 30-32 for assembly steps




FULL BOOKCASE BED WITH ONE STORAGE RAIL
3633400P JAVA 3633402P ASH GRAY

Reference page 33-34 for assembly steps




FULL BOOKCASE BED WITH STORAGE RAIL & TRUNDLE BED
3643400P JAVA 3643402P ASH GRAY

Reference page 33-34 for assembly steps



FULL BOOKCASE BED WITH TWO STORAGE RAILS
3653400P JAVA 3653402P ASH GRAY




PARTS LIST



3413400P TWIN PANEL BED JAVA		
RTG SKU #	STYLE #	ITEM DESCRIPTION
34434009	34C-115	TWIN PANEL HEADBOARD
34534001	34C-116	TWIN PANEL FOOTBOARD
34834007	34C-771	2 PC SIDE RAILS
38000232	100-645	TWIN SLAT PACK (4)
34934009	34C-744	TRUNDLE BED OPTIONAL


3413401P TWIN PANEL BED ASH GRAY		
RTG SKU #	STYLE #	ITEM DESCRIPTION
34434011	34G-115	TWIN PANEL HEADBOARD
34534013	34G-116	TWIN PANEL FOOTBOARD
34834019	34G-771	2 PC SIDE RAILS
38000232	100-645	TWIN SLAT PACK (4)
34934011	34G-744	TRUNDLE BED OPTIONAL

WARNING:
THE BED SLATS WILL NOT SUPPORT A MATTRESS ALONE, THIS BED REQUIRES A BOX SPRING OR BUNKIE BOARD. SOLD SEPARATELY

PARTS LIST		QTY	PARTS LIST		QTY	HARDWARE LIST		QTY	TOOLS NEEDED	
1		2 Pcs	3		1 Pc	A		8 Pcs	Phillips screwdriver (not included)	
	Side rails			Twin panel headboard			1 1/4" Screws			
2		4 Pcs	4		1 Pc	B		1 Pc	Allen wrench (included)	
	Twin slats			Twin panel footboard			Allen wrench			
			5		1 Pc	C		8 Pcs		
				Trundle bed (Optional)			5/16"X20mm bolt		Pre-assembled in headboard and footboard	

ASSEMBLY INSTRUCTIONS


THERE ARE TWO POSSIBLE SETTINGS, HIGH (FACTORY SETTINGS) AND LOW
 IF YOU PURCHASE A TRUNDLE BED DO HIGH SETTINGS,
 IF NOT DO LOW SETTINGS.



HIGH SETTING STEPS 1-5



LOW SETTING STEPS 6-9

STEP 1




Loosen bolts in headboard & footboard posts (1/4" approx.)
 Do not remove, BOLTS ARE PRE-ASSEMBLED.

STEP 2



Assemble side rails



STEP 3



tighten all bolts

MAKE SURE ALL BOLTS ARE TIGHTENED COMPLETELY


STEP 4



Install slats, one on each space between the small blocks,
 then fasten with 1 1/4" screws.


ASSEMBLY INSTRUCTIONS

STEP 5





For **optional** Trundle bed follow assembly instructions inside Trundle bed box, then slide under the bed as shown.

STEP 6




Remove bolts from top setting then install in the lower setting, do not tighten, allow 1/4" space between post and bolt head, repeat for all posts.

STEP 7





Assemble side rails

STEP 8




tighten all bolts
MAKE SURE ALL BOLTS ARE TIGHTENED COMPLETELY

STEP 9



Install slats, one on each space between the small blocks, then fasten with 1 1/4" screws.




PARTS LIST



3733400P TWIN PANEL BED WITH ONE STORAGE RAIL JAVA		
RTG SKU #	STYLE #	ITEM DESCRIPTION
34434009	34C-115	TWIN PANEL HEADBOARD
34534001	34C-116	TWIN PANEL FOOTBOARD
36834009	34C-938	1 PC SIDE RAIL
36934001	34C-940	2 DOOR 2 DRW PEDESTAL
38000232	100-645	TWIN SLAT PACK (4)


3733402P TWIN PANEL BED WITH ONE STORAGE RAIL ASH GRAY		
RTG SKU #	STYLE #	ITEM DESCRIPTION
34434011	34G-115	TWIN PANEL HEADBOARD
34534013	34G-116	TWIN PANEL FOOTBOARD
36834011	34G-938	1 PC SIDE RAIL
36934013	34G-940	2 DOOR 2 DRW PEDESTAL
38000232	100-645	TWIN SLAT PACK (4)

WARNING:
THE BED SLATS WILL NOT SUPPORT A MATTRESS ALONE, THIS BED REQUIRES A BOX SPRING OR BUNKIE BOARD. SOLD SEPARATELY

PARTS LIST	QTY	PARTS LIST	QTY	HARDWARE LIST	QTY	TOOLS NEEDED
1		3		A		Phillips screwdriver (not included)
	1 Pcs		1 Pc		8 Pcs	
2		4		B		Allen wrench (included)
	4 Pcs		1 Pc		1 Pc	
		5		C		
			1 Pc		8 Pcs	
				5/16"X20mm bolt Pre-assembled in headboard and footboard		


ASSEMBLY INSTRUCTIONS

STEP 1





First choose which side the pedestal fits your needs (left or right)

STEP 2




Remove bolts from top setting (Factory setting) from the choose side (left or right), both headboard and footboard save them for next step.

STEP 3




Assemble pedestal first aligning the pedestal bracket with holes in the bottom set of holes of the headboard and footboard then fasten using the bolts previously removed **MAKE SURE ALL BOLTS ARE TIGHTENED COMPLETELY.**

STEP 4



Loosen bolts in headboard & footboard posts (1/4" approx.)
Do not remove, **BOLTS ARE PRE-ASSEMBLED.**


STEP 5



Assemble side rail
MAKE SURE ALL BOLTS ARE TIGHTENED COMPLETELY.


ASSEMBLY INSTRUCTIONS

STEP 6



Install slats, one on each space between the small blocks, then fasten with 1 1/4" screws.




PARTS LIST



3743400P TWIN PANEL BED WITH TWO STORAGE RAILS JAVA		
RTG SKU #	STYLE #	ITEM DESCRIPTION
34434009	34C-115	TWIN PANEL HEADBOARD
34534001	34C-116	TWIN PANEL FOOTBOARD
36934001	34C-940	2 DOOR 2 DRW PEDESTAL
36934001	34C-940	2 DOOR 2 DRW PEDESTAL
38000232	100-645	TWIN SLAT PACK (4)

3743402P TWIN PANEL BED WITH TWO STORAGE RAILS ASH GRAY		
RTG SKU #	STYLE #	ITEM DESCRIPTION
34434011	34G-115	TWIN PANEL HEADBOARD
34534013	34G-116	TWIN PANEL FOOTBOARD
36934013	34G-940	2 DOOR 2 DRW PEDESTAL
36934013	34G-940	2 DOOR 2 DRW PEDESTAL
38000232	100-645	TWIN SLAT PACK (4)

WARNING:
THE BED SLATS WILL NOT SUPPORT A MATTRESS ALONE, THIS BED REQUIRES A BOX SPRING OR BUNKIE BOARD. SOLD SEPARATELY

PARTS LIST	QTY	PARTS LIST	QTY	HARDWARE LIST	QTY	TOOLS NEEDED
1			4 Pcs			Phillips screwdriver (not included)
		2		A		
			1 Pc	1 1/4" Screws	8 Pcs	
		3		B		Allen wrench (included)
			1 Pc	Allen wrench	1 Pc	
		4		C		
			2 Pc	5/16"X20mm bolt	8 Pcs	
		2 door 2 drw pedestal		Pre-assembled in headboard and footboard		

ASSEMBLY INSTRUCTIONS

STEP 1

Remove bolts from top setting (Factory setting) from both headboard and footboard save them for next step.

STEP 2

Assemble pedestal first aligning the pedestal bracket with holes in the bottom set of holes of the headboard and footboard then fasten using the bolts previously removed **MAKE SURE ALL BOLTS ARE TIGHTENED COMPLETELY.**


STEP 3

Repeat process for the other side
MAKE SURE ALL BOLTS ARE TIGHTENED COMPLETELY.

STEP 4

Install slats, one on each space between the small blocks, then fasten with 1 1/4" screws.



PARTS LIST



3423400P FULL PANEL BED JAVA		
RTG SKU #	STYLE #	ITEM DESCRIPTION
34634003	34C-117	FULL PANEL HEADBOARD
34734005	34C-118	FULL PANEL FOOTBOARD
34834007	34C-771	2 PC SIDE RAILS
38000234	100-646	FULL SLAT PACK (4)
34934009	34C-744	TRUNDLE BED OPTIONAL



3423401P FULL PANEL BED ASH GRAY		
RTG SKU #	STYLE #	ITEM DESCRIPTION
34634015	34G-117	FULL PANEL HEADBOARD
34734017	34G-118	FULL PANEL FOOTBOARD
34834019	34G-771	2 PC SIDE RAILS
38000234	100-646	FULL SLAT PACK (4)
34934011	34G-744	TRUNDLE BED OPTIONAL

WARNING:
THE BED SLATS WILL NOT SUPPORT A MATTRESS ALONE, THIS BED REQUIRES A BOX SPRING OR BUNKIE BOARD. SOLD SEPARATELY

PARTS LIST		QTY	PARTS LIST		QTY	HARDWARE LIST		QTY	TOOLS NEEDED	
1		2 Pcs	3		1 Pc	A	 1 1/4" Screws	8 Pcs	Phillips screwdriver (not included) 	
2		4 Pcs	4		1 Pc	B		1 Pc	Allen wrench (included) 	
			5		1 Pc	C	 5/16"X20mm bolt Pre-assembled in headboard and footboard	8 Pcs		

ASSEMBLY INSTRUCTIONS



THERE ARE TWO POSSIBLE SETTINGS, HIGH (FACTORY SETTINGS) AND LOW
 IF YOU PURCHASE A TRUNDLE BED DO HIGH SETTINGS,
 IF NOT DO LOW SETTINGS.



HIGH SETTING STEPS 1-5



LOW SETTING STEPS 6-9

STEP 1




Loosen bolts in headboard & footboard posts (1/4" approx.)
 Do not remove, BOLTS ARE PRE-ASSEMBLED.

STEP 2



Assemble side rails



STEP 3



tighten all bolts

MAKE SURE ALL BOLTS ARE TIGHTENED COMPLETELY


STEP 4



Install slats, one on each space between the small blocks,
 then fasten with 1 1/4" screws.



ASSEMBLY INSTRUCTIONS

STEP 5





For optional Trundle bed follow assembly instructions inside Trundle bed box, then slide under the bed as shown.

STEP 6




Remove bolts from top setting then install in the lower setting, do not tighten, allow 1/4" space between post and bolt head, repeat for all posts.

STEP 7





Assemble side rails

STEP 8



STEP 9




Install slats, one on each space between the small blocks, then fasten with 1 1/4" screws.

tighten all bolts

MAKE SURE ALL BOLTS ARE TIGHTENED COMPLETELY





PARTS LIST



3753400P FULL PANEL BED WITH ONE STORAGE RAIL JAVA		
RTG SKU #	STYLE #	ITEM DESCRIPTION
34634003	34C-117	FULL PANEL HEADBOARD
34734005	34C-118	FULL PANEL FOOTBOARD
36834009	34C-938	1 PC SIDE RAIL
36934001	34C-940	2 DOOR 2 DRW PEDESTAL
38000234	100-646	FULL SLAT PACK (4)

3753402P FULL PANEL BED WITH ONE STORAGE RAIL ASH GRAY		
RTG SKU #	STYLE #	ITEM DESCRIPTION
34634015	34G-117	FULL PANEL HEADBOARD
34734017	34G-118	FULL PANEL FOOTBOARD
36834011	34G-938	1 PC SIDE RAIL
36934013	34G-940	2 DOOR 2 DRW PEDESTAL
38000234	100-646	FULL SLAT PACK (4)

WARNING:
THE BED SLATS WILL NOT SUPPORT A MATTRESS ALONE, THIS BED REQUIRES A BOX SPRING OR BUNKIE BOARD. SOLD SEPARATELY

PARTS LIST	QTY	PARTS LIST	QTY	HARDWARE LIST	QTY	TOOLS NEEDED
1			1 Pcs	A		Phillips screwdriver (not included) 
		1 pc side rail		1 1/4" Screws	8 Pcs	
2			4 Pcs	B		Allen wrench (included) 
		Full slats		Allen wrench	1 Pc	
3			1 Pc	C		
		Full panel headboard		5/16"X20mm bolt Pre-assembled in headboard and footboard	8 Pcs	
4			1 Pc			
		Full panel footboard				
5			1 Pc			
		2 door 2 drw pedestal				

ASSEMBLY INSTRUCTIONS

STEP 1

LEFT RIGHT

First choose which side the pedestal fits your needs (left or right)

STEP 2

Remove bolts from top setting (Factory setting) from the choose side (left or right), both headboard and footboard save them for next step.

STEP 3

Assemble pedestal first aligning the pedestal bracket with holes in the bottom set of holes of the headboard and footboard then fasten using the bolts previously removed **MAKE SURE ALL BOLTS ARE TIGHTENED COMPLETELY.**

STEP 4

Loosen bolts in headboard & footboard posts (1/4" approx.)
Do not remove, BOLTS ARE PRE-ASSEMBLED.

STEP 5



Assemble side rail
MAKE SURE ALL BOLTS ARE TIGHTENED COMPLETELY.

STEP 6

Final assembly of the bed frame.


ASSEMBLY INSTRUCTIONS

STEP 6



Install slats, one on each space between the small blocks, then fasten with 1 1/4" screws.




PARTS LIST



3763400P FULL PANEL BED WITH STORAGE RAIL & TRUNDLE JAVA		
RTG SKU #	STYLE #	ITEM DESCRIPTION
34634003	34C-117	FULL PANEL HEADBOARD
34734005	34C-118	FULL PANEL FOOTBOARD
36834009	34C-938	1 PC SIDE RAIL
36934001	34C-940	2 DOOR 2 DRW PEDESTAL
38000234	100-646	FULL SLAT PACK (4)
34934009	34C-744	TRUNDLE BED

3763402P FULL PANEL BED W/ STORAGE RAIL&TRUNDLE ASH GRAY		
RTG SKU #	STYLE #	ITEM DESCRIPTION
34634015	34G-117	FULL PANEL HEADBOARD
34734017	34G-118	FULL PANEL FOOTBOARD
36834011	34G-938	1 PC SIDE RAIL
36934013	34G-940	2 DOOR 2 DRW PEDESTAL
38000234	100-646	FULL SLAT PACK (4)
34934011	34G-744	TRUNDLE BED

WARNING:
THE BED SLATS WILL NOT SUPPORT A MATTRESS ALONE, THIS BED REQUIRES A BOX SPRING OR BUNKIE BOARD. SOLD SEPARATELY

PARTS LIST	QTY	PARTS LIST	QTY	HARDWARE LIST	QTY	TOOLS NEEDED
1			1 Pcs	A		Phillips screwdriver (not included)  Allen wrench (included) 
		1 pc side rail		1 1/4" Screws	8 Pcs	
2			4 Pcs	B		
		Full slats		Allen wrench	1 Pc	
3			1 Pc	C		
		Full panel headboard		5/16"X20mm bolt	8 Pcs	
4			1 Pc	Pre-assembled in headboard and footboard		
		Full panel footboard				
5			1 Pc			
		2 door 2 drw pedestal				
6			1 Pc			
		Trundle bed				

ASSEMBLY INSTRUCTIONS

STEP 1

LEFT RIGHT

First choose which side the pedestal fits your needs (left or right)

STEP 2

Remove bolts from top setting (Factory setting) from the choose side (left or right), both headboard and footboard save them for next step.

STEP 3

Assemble pedestal first aligning the pedestal bracket with holes in the bottom set of holes of the headboard and footboard then fasten using the bolts previously removed **MAKE SURE ALL BOLTS ARE TIGHTENED COMPLETELY.**

STEP 4

Loosen bolts in headboard & footboard posts (1/4" approx.)
Do not remove, BOLTS ARE PRE-ASSEMBLED.



STEP 5

Assemble side rail
MAKE SURE ALL BOLTS ARE TIGHTENED COMPLETELY.


STEP 6

ASSEMBLY INSTRUCTIONS

STEP 6




STEP 7



Install slats, one on each space between the small blocks, then fasten with 1 1/4" screws.

For optional Trundle bed follow assembly instructions inside tighten, allow 1/4" space between post and bolt head, repeat for all posts.

PARTS LIST



3773400P FULL PANEL BED WITH TWO STORAGE RAILS JAVA		
RTG SKU #	STYLE #	ITEM DESCRIPTION
34634003	34C-117	FULL PANEL HEADBOARD
34734005	34C-118	FULL PANEL FOOTBOARD
36934001	34C-940	2 DOOR 2 DRW PEDESTAL
36934001	34C-940	2 DOOR 2 DRW PEDESTAL
38000234	100-646	FULL SLAT PACK (4)

3773402P FULL PANEL BED WITH TWO STORAGE RAILS ASH GRAY		
RTG SKU #	STYLE #	ITEM DESCRIPTION
34634015	34G-117	FULL PANEL HEADBOARD
34734017	34G-118	FULL PANEL FOOTBOARD
36934013	34G-940	2 DOOR 2 DRW PEDESTAL
36934013	34G-940	2 DOOR 2 DRW PEDESTAL
38000234	100-646	FULL SLAT PACK (4)

WARNING:
THE BED SLATS WILL NOT SUPPORT A MATTRESS ALONE, THIS BED REQUIRES A BOX SPRING OR BUNKIE BOARD. SOLD SEPARATELY

PARTS LIST	QTY	PARTS LIST	QTY	HARDWARE LIST	QTY	TOOLS NEEDED
1			4 Pcs			Phillips screwdriver (not included)
		2			1 Pc	Allen wrench (included)
		3			1 Pc	
		4			2 Pc	
				A		
					8 Pcs	
				B		
					1 Pc	
				C		
					8 Pcs	
				5/16"X20mm bolt Pre-assembled in headboard and footboard		

ASSEMBLY INSTRUCTIONS

STEP 1

Remove bolts from top setting (Factory setting) from both headboard and footboard save them for next step.

STEP 2

Assemble pedestal first aligning the pedestal bracket with holes in the bottom set of holes of the headboard and footboard then fasten using the bolts previously removed **MAKE SURE ALL BOLTS ARE TIGHTENED COMPLETELY.**


STEP 3

Repeat process for the other side
MAKE SURE ALL BOLTS ARE TIGHTENED COMPLETELY.

STEP 4

Install slats, one on each space between the small blocks, then fasten with 1 1/4" screws.




PARTS LIST



3583400P TWIN BOOKCASE BED JAVA		
RTG SKU #	STYLE #	ITEM DESCRIPTION
36634005	34C-812	TWIN BOOKCASE HEADBOARD
34534001	34C-116	TWIN PANEL FOOTBOARD
34834007	34C-771	2 PC SIDE RAILS
38000232	100-645	TWIN SLAT PACK (4)
34934009	34C-744	TRUNDLE BED OPTIONAL


3583402P TWIN BOOKCASE BED ASH GRAY		
RTG SKU #	STYLE #	ITEM DESCRIPTION
36634017	34G-812	TWIN BOOKCASE HEADBOARD
34534013	34G-116	TWIN PANEL FOOTBOARD
34834019	34G-771	2 PC SIDE RAILS
38000232	100-645	TWIN SLAT PACK (4)
34934011	34G-744	TRUNDLE BED OPTIONAL

WARNING:
THE BED SLATS WILL NOT SUPPORT A MATTRESS ALONE, THIS BED REQUIRES A BOX SPRING OR BUNKIE BOARD. SOLD SEPARATELY


PARTS LIST		QTY	PARTS LIST		QTY	HARDWARE LIST		QTY	TOOLS NEEDED	
1		2 Pcs	3	 Twin bookcase hdbd	1 Pc	A	 1 1/4" Screws	8 Pcs	Phillips screwdriver (not included) 	
2		4 Pcs	4	 Twin panel footboard	1 Pc	B	 Allen wrench	1 Pc	Allen wrench (included) 	
			5	 Trundle bed (Optional)	1 Pc	C	 5/16"X20mm bolt Pre-assembled in headboard and footboard	8 Pcs		

ASSEMBLY INSTRUCTIONS

THERE ARE TWO POSSIBLE SETTINGS, HIGH (FACTORY SETTINGS) AND LOW
 IF YOU PURCHASE A TRUNDLE BED DO HIGH SETTINGS,
 IF NOT DO LOW SETTINGS.





HIGH SETTING STEPS 1-5





LOW SETTING STEPS 6-9

STEP 1




Loosen bolts in headboard & footboard posts (1/4" approx.)
 Do not remove, BOLTS ARE PRE-ASSEMBLED.

STEP 2



Assemble side rails



STEP 3



tighten all bolts

MAKE SURE ALL BOLTS ARE TIGHTENED COMPLETELY


STEP 4



Install slats, one on each space between the small blocks,
 then fasten with 1 1/4" screws.


ASSEMBLY INSTRUCTIONS

STEP 5





For **optional** Trundle bed follow assembly instructions inside Trundle bed box, then slide under the bed as shown.

STEP 6




Remove bolts from top setting then install in the lower setting, do not tighten, allow 1/4" space between post and bolt head, repeat for all posts.

STEP 7



Assemble side rails


STEP 8



tighten all bolts


MAKE SURE ALL BOLTS ARE TIGHTENED COMPLETELY

STEP 9



Install slats, one on each space between the small blocks, then fasten with 1 1/4" screws.




PARTS LIST



3603400P TWIN BOOKCASE BED WITH ONE STORAGE RAIL JAVA		
RTG SKU #	STYLE #	ITEM DESCRIPTION
36634005	34C-812	TWIN BOOKCASE HEADBOARD
34534001	34C-116	TWIN PANEL FOOTBOARD
36834009	34C-938	1 PC SIDE RAIL
36934001	34C-940	2 DOOR 2 DRW PEDESTAL
38000232	100-645	TWIN SLAT PACK (4)

3603402P TWIN BOOKCASE BED WITH ONE STORAGE RAIL ASH GRAY		
RTG SKU #	STYLE #	ITEM DESCRIPTION
36634017	34G-812	TWIN BOOKCASE HEADBOARD
34534013	34G-116	TWIN PANEL FOOTBOARD
36834011	34G-938	1 PC SIDE RAIL
36934013	34G-940	2 DOOR 2 DRW PEDESTAL
38000232	100-645	TWIN SLAT PACK (4)

WARNING:
THE BED SLATS WILL NOT SUPPORT A MATTRESS ALONE, THIS BED REQUIRES A BOX SPRING OR BUNKIE BOARD. SOLD SEPARATELY

PARTS LIST	QTY	PARTS LIST	QTY	HARDWARE LIST	QTY	TOOLS NEEDED
1		 1 pc side rail	1 Pcs	A		Phillips screwdriver (not included) 
2		 Twin slats	4 Pcs	B		
3		 Twin bookcase hdbd	1 Pc	C		
4		 Twin panel footboard	1 Pc	5/16"X20mm bolt Pre-assembled in headboard and footboard		
5		 2 door 2 drw pedestal	1 Pc			

ASSEMBLY INSTRUCTIONS

STEP 1

LEFT RIGHT

First choose which side the pedestal fits your needs (left or right)

STEP 2

B
 C

Remove bolts from top setting (Factory setting) from the choose side (left or right), both headboard and footboard save them for next step.

STEP 3

Assemble pedestal first aligning the pedestal bracket with holes in the bottom set of holes of the headboard and footboard then fasten using the bolts previously removed **MAKE SURE ALL BOLTS ARE TIGHTENED COMPLETELY.**

B
 C

STEP 4

B

Loosen bolts in headboard & footboard posts (1/4" approx.)
Do not remove, BOLTS ARE PRE-ASSEMBLED.


STEP 5

B

Assemble side rail
MAKE SURE ALL BOLTS ARE TIGHTENED COMPLETELY.


ASSEMBLY INSTRUCTIONS

STEP 6



Install slats, one on each space between the small blocks, then fasten with 1 1/4" screws.

PARTS LIST



3613400P TWIN BOOKCASE BED WITH TWO STORAGE RAILS JAVA		
RTG SKU #	STYLE #	ITEM DESCRIPTION
36634005	34C-812	TWIN BOOKCASE HEADBOARD
34534001	34C-116	TWIN PANEL FOOTBOARD
36934001	34C-940	2 DOOR 2 DRW PEDESTAL
36934001	34C-940	2 DOOR 2 DRW PEDESTAL
38000232	100-645	TWIN SLAT PACK (4)

3613402P TWIN BOOKCASE BED W/TWO STORAGE RAILS ASH GRAY		
RTG SKU #	STYLE #	ITEM DESCRIPTION
36634017	34G-812	TWIN BOOKCASE HEADBOARD
34534013	34G-116	TWIN PANEL FOOTBOARD
36934013	34G-940	2 DOOR 2 DRW PEDESTAL
36934013	34G-940	2 DOOR 2 DRW PEDESTAL
38000232	100-645	TWIN SLAT PACK (4)

WARNING:
THE BED SLATS WILL NOT SUPPORT A MATTRESS ALONE, THIS BED REQUIRES A BOX SPRING OR BUNKIE BOARD. SOLD SEPARATELY

PARTS LIST	QTY	PARTS LIST	QTY	HARDWARE LIST	QTY	TOOLS NEEDED
1			4 Pcs			Phillips screwdriver (not included)
		2		A		Allen wrench (included)
			1 Pc	1 1/4" Screws	8 Pcs	
		3		B	1 Pc	
			1 Pc	Allen wrench		
		4		C	8 Pcs	
			2 Pc	5/16"X20mm bolt Pre-assembled in headboard and footboard		

ASSEMBLY INSTRUCTIONS

STEP 1

Remove bolts from top setting (Factory setting) from both headboard and footboard save them for next step.

STEP 2

Assemble pedestal first aligning the pedestal bracket with holes in the bottom set of holes of the headboard and footboard then fasten using the bolts previously removed **MAKE SURE ALL BOLTS ARE TIGHTENED COMPLETELY.**

STEP 3

Repeat process for the other side
MAKE SURE ALL BOLTS ARE TIGHTENED COMPLETELY.


STEP 3

Install slats, one on each space between the small blocks, then fasten with 1 1/4" screws.

PARTS LIST

3623400P FULL BOOKCASE BED JAVA		
RTG SKU #	STYLE #	ITEM DESCRIPTION
36734007	34C-814	FULL BOOKCASE HEADBOARD
34734005	34C-118	FULL PANEL FOOTBOARD
34834007	34C-771	2 PC SIDE RAILS
38000234	100-646	FULL SLAT PACK (4)
34934009	34C-744	TRUNDLE BED OPTIONAL

3623402P FULL BOOKCASE BED ASH GRAY		
RTG SKU #	STYLE #	ITEM DESCRIPTION
36734019	34G-814	FULL BOOKCASE HEADBOARD
34734017	34G-118	FULL PANEL FOOTBOARD
34834019	34G-771	2 PC SIDE RAILS
38000234	100-646	FULL SLAT PACK (4)
34934011	34G-744	TRUNDLE BED OPTIONAL




WARNING:
THE BED SLATS WILL NOT SUPPORT A MATTRESS ALONE, THIS BED REQUIRES A BOX SPRING OR BUNKIE BOARD. SOLD SEPARATELY

PARTS LIST	QTY	PARTS LIST	QTY	HARDWARE LIST	QTY	TOOLS NEEDED
1 Side rails	2 Pcs	3 Full bookcase hdbd	1 Pc	A 1 1/4" Screws	8 Pcs	Phillips screwdriver (not included) Allen wrench (included)
2 Twin slats	4 Pcs			B Allen wrench	1 Pc	
		4 Full panel footboard	1 Pc	C 5/16"X20mm bolt Pre-assembled in headboard and footboard	8 Pcs	
		5 Trundle bed (Optional)	1 Pc			

ASSEMBLY INSTRUCTIONS



THERE ARE TWO POSSIBLE SETTINGS, HIGH (FACTORY SETTINGS) AND LOW
 IF YOU PURCHASE A TRUNDLE BED DO HIGH SETTINGS,
 IF NOT DO LOW SETTINGS.



HIGH SETTING STEPS 1-5



LOW SETTING STEPS 6-9

STEP 1




Loosen bolts in headboard & footboard posts (1/4" approx.)
 Do not remove, BOLTS ARE PRE-ASSEMBLED.

STEP 2



Assemble side rails



STEP 3



tighten all bolts

MAKE SURE ALL BOLTS ARE TIGHTENED COMPLETELY


STEP 4



Install slats, one on each space between the small blocks,
 then fasten with 1 1/4" screws.


ASSEMBLY INSTRUCTIONS

STEP 5





For **optional** Trundle bed follow assembly instructions inside Trundle bed box, then slide under the bed as shown.

STEP 6




Remove bolts from top setting then install in the lower setting, do not tighten, allow 1/4" space between post and bolt head, repeat for all posts.

STEP 7




Assemble side rails

STEP 8





tighten all bolts
MAKE SURE ALL BOLTS ARE TIGHTENED COMPLETELY

STEP 9



Install slats, one on each space between the small blocks, then fasten with 1 1/4" screws.



PARTS LIST



3633400P FULL BOOKCASE BED WITH ONE STORAGE RAIL JAVA		
RTG SKU #	STYLE #	ITEM DESCRIPTION
36734007	34C-814	FULL BOOKCASE HEADBOARD
34734005	34C-118	FULL PANEL FOOTBOARD
36834009	34C-938	1 PC SIDE RAIL
36934001	34C-940	2 DOOR 2 DRW PEDESTAL
38000234	100-646	FULL SLAT PACK (4)

3633402P FULL BOOKCASE BED W/ONE STORAGE RAIL ASH GRAY		
RTG SKU #	STYLE #	ITEM DESCRIPTION
36734019	34G-814	FULL BOOKCASE HEADBOARD
34734017	34G-118	FULL PANEL FOOTBOARD
36834011	34G-938	1 PC SIDE RAIL
36934013	34G-940	2 DOOR 2 DRW PEDESTAL
38000234	100-646	FULL SLAT PACK (4)

WARNING:
THE BED SLATS WILL NOT SUPPORT A MATTRESS ALONE, THIS BED REQUIRES A BOX SPRING OR BUNKIE BOARD. SOLD SEPARATELY

PARTS LIST	QTY	PARTS LIST	QTY	HARDWARE LIST	QTY	TOOLS NEEDED
1			1 Pcs	A		Phillips screwdriver (not included) 
		1 pc side rail		1 1/4" Screws	8 Pcs	
2			4 Pcs	B		Allen wrench (included) 
		Full slats		C		
		3		5/16"X20mm bolt Pre-assembled in headboard and footboard		
			1 Pc			
		Full panel headboard				
		4				
			1 Pc			
		Full panel footboard				
		5				
			1 Pc			
		2 door 2 drw pedestal				

ASSEMBLY INSTRUCTIONS

STEP 1

LEFT RIGHT

First choose which side the pedestal fits your needs (left or right)

STEP 2

Remove bolts from top setting (Factory setting) from the choose side (left or right), both headboard and footboard save them for next step.

STEP 3

Assemble pedestal first aligning the pedestal bracket with holes in the bottom set of holes of the headboard and footboard then fasten using the bolts previously removed **MAKE SURE ALL BOLTS ARE TIGHTENED COMPLETELY.**

STEP 4

Loosen bolts in headboard & footboard posts (1/4" approx.)
Do not remove, BOLTS ARE PRE-ASSEMBLED.

STEP 5


Assemble side rail
MAKE SURE ALL BOLTS ARE TIGHTENED COMPLETELY.

STEP 6

Final assembly of the bed frame.


ASSEMBLY INSTRUCTIONS

STEP 6




Install slats, one on each space between the small blocks, then fasten with 1 1/4" screws.

PARTS LIST



3643400P FULL BOOKCASE BED WITH ONE STORAGE RAIL&TRUNDLE JAVA

RTG SKU #	STYLE #	ITEM DESCRIPTION
36734007	34C-814	FULL BOOKCASE HEADBOARD
34734005	34C-118	FULL PANEL FOOTBOARD
36834009	34C-938	1 PC SIDE RAIL
36934001	34C-940	2 DOOR 2 DRW PEDESTAL
38000234	100-646	FULL SLAT PACK (4)
34934009	34C-744	TRUNDLE BED OPTIONAL



3643400P FULL BOOKCASE BED W/ONE STORAGE RAIL &TRUNDLE ASH GRAY

RTG SKU #	STYLE #	ITEM DESCRIPTION
36734019	34G-814	FULL BOOKCASE HEADBOARD
34734017	34G-118	FULL PANEL FOOTBOARD
36834011	34G-938	1 PC SIDE RAIL
36934013	34G-940	2 DOOR 2 DRW PEDESTAL
38000234	100-646	FULL SLAT PACK (4)
34934011	34G-744	TRUNDLE BED OPTIONAL

WARNING:
THE BED SLATS WILL NOT SUPPORT A MATTRESS ALONE, THIS BED REQUIRES A BOX SPRING OR BUNKIE BOARD. SOLD SEPARATELY

PARTS LIST	QTY	PARTS LIST	QTY	HARDWARE LIST	QTY	TOOLS NEEDED
1	1 Pcs	3	1 Pc	A	8 Pcs	Phillips screwdriver (not included)
2	4 Pcs	4	1 Pc	B	1 Pc	Allen wrench (included)
1 pc side rail		5	1 Pc			
Full slats		6	1 Pc			
		Full panel headboard				
		Full panel footboard				
		2 door 2 drw pedestal				
		Trundle bed (Optional)				

ASSEMBLY INSTRUCTIONS

STEP 1

LEFT RIGHT

First choose which side the pedestal fits your needs (left or right)

STEP 2

Remove bolts from top setting (Factory setting) from the choose side (left or right), both headboard and footboard save them for next step.

STEP 3

Assemble pedestal first aligning the pedestal bracket with holes in the bottom set of holes of the headboard and footboard then fasten using the bolts previously removed **MAKE SURE ALL BOLTS ARE TIGHTENED COMPLETELY.**

STEP 4



Loosen bolts in headboard & footboard posts (1/4" approx.)
Do not remove, BOLTS ARE PRE-ASSEMBLED.

STEP 5


Assemble side rail
MAKE SURE ALL BOLTS ARE TIGHTENED COMPLETELY.

ASSEMBLY INSTRUCTIONS

STEP 6




Install slats, one on each space between the small blocks, then fasten with 1 1/4" screws.



For optional Trundle bed follow assembly instructions inside tighten, allow 1/4" space between post and bolt head, repeat for all posts.



PARTS LIST



3653400P FULL BOOKCASE BED WITH TWO STORAGE RAILS JAVA		
RTG SKU #	STYLE #	ITEM DESCRIPTION
36734007	34C-814	FULL BOOKCASE HEADBOARD
34734005	34C-118	FULL PANEL FOOTBOARD
36934001	34C-940	2 DOOR 2 DRW PEDESTAL
36934001	34C-940	2 DOOR 2 DRW PEDESTAL
38000234	100-646	FULL SLAT PACK (4)
34934009	34C-744	TRUNDLE BED OPTIONAL


3653402P FULL BOOKCASE BED W/TWO STORAGE RAILS ASH GRAY		
RTG SKU #	STYLE #	ITEM DESCRIPTION
36734019	34G-814	FULL BOOKCASE HEADBOARD
34734017	34G-118	FULL PANEL FOOTBOARD
36934013	34G-940	2 DOOR 2 DRW PEDESTAL
36934013	34G-940	2 DOOR 2 DRW PEDESTAL
38000234	100-646	FULL SLAT PACK (4)
34934011	34G-744	TRUNDLE BED OPTIONAL

WARNING:
THE BED SLATS WILL NOT SUPPORT A MATTRESS ALONE, THIS BED REQUIRES A BOX SPRING OR BUNKIE BOARD. SOLD SEPARATELY

PARTS LIST	QTY	PARTS LIST	QTY	HARDWARE LIST	QTY	TOOLS NEEDED
1			4 Pcs	A		Phillips screwdriver (not included) 
		2		1 1/4" Screws	8 Pcs	
			1 Pc	B		Allen wrench (included) 
		3		Allen wrench	1 Pc	
			1 Pc			
		4				
			2 Pc			
		2 door 2 drw pedestal				


ASSEMBLY INSTRUCTIONS

STEP 1




Remove bolts from top setting (Factory setting) from both headboard and footboard save them for next step.

STEP 2



Assemble pedestal first aligning the pedestal bracket with holes in the bottom set of holes of the headboard and footboard then fasten using the bolts previously removed **MAKE SURE ALL BOLTS ARE TIGHTENED COMPLETELY.**

STEP 3



Repeat process for the other side
MAKE SURE ALL BOLTS ARE TIGHTENED COMPLETELY.

STEP 4

