


Item # : BU52SERSD Assembly Instructions




Walker Edison®

Please visit our website for the most current instructions, assembly tips, report damage, or request parts. www.walkeredison.com


Revised 16/12/2019 (L)

General Assembly Guidelines


- I. Ensure that all parts and hardware are available before beginning assembly.
- II. Follow each step carefully to ensure the proper assembly of this product.
- III. Two people are recommended for ease in the assembly of this product.
- IV. The three main types of hardware used to assemble this product are: wood dowels, screws and bolts.
- V. The provided glue is to secure wood dowels in place. When first inserting dowels, locate the appropriate hole for the dowel, place a small amount of glue in the hole and insert the dowel. Wipe away excess glue immediately.




In future assembly steps when dowels are necessary to attach assembly parts together, place a small amount of glue on the end of the dowel before attaching parts together. Wipe away excess glue immediately.



- VI. A Phillips head screwdriver is required for the assembly of this product .




- VII. Power tools should not be used to assemble this product.



























- VIII. Drill may be needed for securing product to wall.


Parts List



Hardware List

| | | | | |
|---|---|-----------|-------------------|--------|
| A |  | Ø8x30mm | Wooden dowel | 24 pcs |
| B |  | Ø6x35mm | Cam bolt | 24 pcs |
| C |  | Ø15x11mm | Cam lock | 16 pcs |
| D |  | Ø15x9.5mm | Cam lock | 8 pcs |
| E |  | | Sticker | 24 pcs |
| F |  | Ø6x50mm | Screw | 6 pcs |
| G |  | M 4 | Hex Key | 1 pc |
| H |  | Ø6x12mm | Bolt | 20 pcs |
| J |  | | Handle | 1 pc |
| K |  | Ø4x22mm | Handle Bolt | 2 pcs |
| L |  | Ø4x32mm | Screw | 10 pcs |
| M |  | | Bolt | 2 pcs |
| N |  | | Plastic wedge | 8 pcs |
| P |  | Ø3x17mm | Screw | 8 pcs |
| Q |  | | Pulley | 2 pcs |
| R |  | | Pulley | 2 pcs |
| S |  | Ø3x12mm | Screw | 40 pcs |
| T |  | | Shelf support pin | 8 pcs |
| U |  | | Velcro strap | 2 pcs |
| V |  | Ø4x25mm | Screw | 2 pcs |
| W |  | | Nut | 2 pcs |
| X |  | Ø4x12mm | Screw | 2 pcs |
| Y |  | | Glue tube | 1 pc |
| Z |  | | Drawer slider | 2 Set |


* Note: This piece comes preassembled for shipping purposes and must be disassembled to complete the desk assembly.



Philips head screwdriver required for assembly
(not included)


*The hardware quantities listed above are required for proper assembly.
Some extra hardware may also have been included.*

Step 1




Pick up the slider arm (Z) and separate the slide Runner for the following Steps. Extend the Slide .Runner all the way forward,press the plastic release lever of the slider arm up and pull the Slide Runner Complete out .

Step 2




Using screw (S) attach slider bracket (Z) to parts (11,12) with Philips head screwdriver as per diagram.

Step 3




Using screw (S) attach slider arm (Z) to parts (3,4,5) with Philips head screwdriver as per diagram.

Step 4





Insert wooden dowel (A) into parts (3,4,5), then secure cam bolt (B) into parts (3,4,5) with Philips head screwdriver as per diagram.

Step 5





Insert wooden dowel (A) into parts (7,16), then secure cam bolt (B) into parts (1,15) with Philips head screwdriver as per diagram.

Step 6




Using cam lock(C) secure part (7) to parts (4,5) with Philips head screwdriver as per diagram.

Step 7




Using cam lock(C) secure part (7) to parts (3,4) with Philips head screwdriver as per diagram.

Step 8




Using screw (F) attach part (2) into parts (3,4,5) with hex key (G) as per diagram.

Step 9





Using bolt (H) attach part (9) to part (2) with hex key (G) as per diagram.

Step 10




Put part (6) as per diagram.

Step 11



Using cam lock (C) secure part (1) into parts (3,4,5) with Philips head screwdriver as per diagram.


Step 12



Using screw (P) secure plastic wedge (N) to part (6) with Philips head screwdriver as per diagram.

Step 13


X 2



Using screw (L) attach parts (11,12) to part (13) with Philips head screwdriver as per diagram.

Step 14


X 2



Put part (14) as per diagram.



Step 15

X 2




Using screw (L) attach part (13) to part (16) with Philips head screwdriver as per diagram.

Step 16




Using cam lock (D) attach part (15) to parts (11,12) and cam lock (C) attach part (15) to part (16) with Philips head screwdriver as per diagram.

Step 17




Place sticker (E) cover the holes as per diagram.

Step 18




Insert shelf support pin (T) into parts (3,4,5) as per diagram. Make sure you place the four shelf support pins (T) in the same level. So the shelf is not titled .Put part (8) into unit as per diagram. Tilt and rest the adjustable shelf (8) onto the shelf support pins .

Step 19





Using screw (S) attach Pulley (R,Q) to part (10) ,then using handle bolt (K) secure handle (J) to part (10) with Philips head screwdriver as per diagram.

Step 20





Pick up the door (10), and fit the pulley (R) over the slider rails on the bottom panel (2), then place the pulley (Q) into top panel (1), till it click into pulley (R) as per diagram.

Step 21




Insert the assembled drawers into the unit frame, extend the Ball Bearing Slide Tracks (Z) on the pedestal Side Panel all the way forward .Then align the Slide Runners on the assembled drawers with the Slide Tracks and push the drawer carefully inside until it stops. Note : if the drawer does not go in smoothly, please take it out and repeat the step. If you need to remove the drawer, please pull the drawer all the way out, press or lift the plastic release lever and pull out the drawer and then re-assembled the drawer until it was going in smoothly .

Step 22




Insert the assembled drawers into the unit frame, extend the Ball Bearing Slide Tracks (Z) on the pedestal Side Panel all the way forward .Then align the Slide Runners on the assembled drawers with the Slide Tracks and push the drawer carefully inside until it stops. Note : if the drawer does not go in smoothly, please take it out and repeat the step. If you need to remove the drawer, please pull the drawer all the way out, press or lift the plastic release lever and pull out the drawer and then re-assembled the drawer until it was going in smoothly .

Step 23




Using screw (X) attach Velcro strap (U) into part (1) with Philips head screwdriver as per diagram.

WARNING




Serious or fatal injuries can occur from furniture tipping over. To prevent the furniture from tipping over we recommend that it is permanently fixed to the wall. Wall anchor and hardware are included with this product. Please make sure hardware is suitable for your walls before installing, as different wall materials may require different types of anchors.

Wall




Using screw (V) attach Velcro strap (U) into Nut (W) to wall with Philips head screwdriver as per diagram.

Step 25



Position the assembled unit at the desired location ,if necessary adjust the floor leveler at the bottom of the support leg to level the unit .

Step 26



Final Assembly