





Assembly Instructions

PHOM 6116 SERVER

This product is manufactured by PHOM for Rooms To Go

SKU# 42861167


Hardware List:

Step	Code	Component		Qty
1	1	Allen Wrench M4 X 55mm		1 Pc
	2	JCBC Bolt With Washer 5/16" X 18T X 2"		8 Pcs
		Spring Washer 1/16" X 13mm		8 Pcs
		Flat Washer 1/16" X 18mm		8 Pcs

1. We recommend that you should assemble this product with the assistance of another person, this will make assembly easier and will eliminate damage to the product or injury to person during assembly.
2. Please do not over tighten bolts until assembly in complete.
3. Please put all parts on a non-abrasive floor before assembly, and follow assembly steps to assemble your newly purchased product correctly and efficiently.



Parts List:



Hardware Pack Location(s):

SERVER SKU# 42861167



Assembly Instructions


PHOM 6116 SERVER

This product is manufactured by PHOM for Rooms To Go

SKU# 42861167

*****Cautions: Please read all instructions carefully before starting the assembly. These parts are cumbersome and heavy. Therefore two people are recommended in order to prevent personal injury and insure the parts are not damaged during the assembly. Do not fully tighten the bolts initially until all the bolts are in place. To avoid causing damages to the thread, do not over tighten the bolts.**

STEP 1:



Attach Leg to Main Compartment, with JCBC Bolt and Washers using Allen Wrench.

STEP 2:



Turn the Server to upright position carefully. Assembly completed.



Assembly Instructions

PHOM 6116 SERVER

This product is manufactured by PHOM for Rooms To Go

SKU# 42861167


ANTI-TIP HARDWARE

Thank you for purchasing this quality product. Be sure to check all packing material carefully for small parts that may have come loose inside the carton during shipment.


Hardware List:

Code	Component		Qty
1	Chipwood Screw #10 X 5/8"		1 Pc
2	Chipwood Screw #10 X 2"		1 Pc
3	L Bracket		2 Pcs
4	Cable Tie		1 Pc

STEP 1:



STEP 2:



STEP 3:

