

Assembly Instructions SSIO VD640KCCBNG-R Vida Black Counter Storage Bench

Manufactured by SSIO for Rooms To Go

SKU:43548037

Step	Code	Hardware			Qty		
	А	SOCKET V	VRENCH			1	PC
1	В	BOLT Ø5/16"x18x2"				8PCS	
1	С	LOCK WASHER O		8PCS			
1	D	FLAT WAS	HER	0		8PCS	
1	Е	SCREW			Mar	81	PCS
Part Number			Picture		Descripti	on	Material


Part Number	Picture	Description	Material	Qty
PVD640KCCBNG-RSC		Seat Cushion	Fabric+Foam+ Rubberwood+ MDF+ASH Veneer	1PC
PVD640KCCBNG-RFL	6•(<u> </u>	Front Leg	Rubberwood	2PCS
PVD640KCCBNG-RBL	© • (©	Back Leg	Rubberwood	2PCS
PVD640KCCBNG-RSST	0.00	Short Stretcher	Rubberwood	2PCS
PVD640KCCBNG-RLST	0.0	Long Stretcher	Rubberwood	2PCS
PVD640KCCBNG-RLEV	9	Leveler	Plastic+Iron	4PCS
PVD640KCCBNG-RHIN		Hinge	Iron	2PCS
PVD640KCCBNG-RRLTM		Right Lift-TOP Mechanism	Iron	1PC
PVD640KCCBNG-RLLTM	A. A	Left Lift-TOP Mechanism	Iron	1PC

Hardware Pack Location(s): Underneath of the seat Vida Black Counter Storage Bench SKU:43548037 04/18/2024




Assembly Instructions SSIO VD640KCCBNG-R Vida Black Counter Storage Bench SKU:43548037

***Caution. Please read all instructions carefully before starting the assembly process. These parts are cumbersome and heavy. Therefore, two people are recommended in order to prevent personal injury and ensure the parts are not damaged during the assembly.



Attach the legs to the seat frame.

Note:Do not tighten all screws & bolts until the seat is fully assembly.




Stand bench up on an even surface and check that it is balanced. If there is a slight wobble, apply downward pressure in the corner where a leg is uneven. Keeping pressure in that corner, tighten all bolts. If balanced, apply downward pressure evenly in the center and tighten all bolts.




Assembly Instructions SSIO VD640KCCBNG-R Vida Black Counter Storage Bench SKU:43548037

***Caution. Please read all instructions carefully before starting the assembly process. These parts are cumbersome and heavy. Therefore, two people are recommended in order to prevent personal injury and ensure the parts are not damaged during the assembly.



Attach the legs to the seat frame.

Note:Do not tighten all screws & bolts until the seat is fully assembly.



Stand bench up on an even surface and check that it is balanced. If there is a slight wobble, apply downward pressure in the corner where a leg is uneven. Keeping pressure in that corner, tighten all belts. If balanced, apply downward pressure evenly in the center and tighten all bolts.