





Thank you for purchasing this quality product. Be sure to check all packing material carefully for small parts which may have come loose inside the carton during shipment. Identify and count all parts and compare with the Hardware List below:

No.	Parts list	Q'ty
A	 Stool back	1
B	 Seat cushion	1
C	 Seat Frame	1
D	 Legs	4
E	 Roud stretcher	1

Step	Hardware List	Q'ty
1	 Φ 1/4" * 18 * 3/4" L Allen bolt	2
	 Allen wrench (4mm)	1
2	 Φ 5/16" * 18 * 1-1/2" L Allen bolt	4
	 Φ 5/16" * Φ 13 Spring washer	
	 Φ 5/16" * Φ 19mm * 2mmT Flat washer	
3	 #3.5 * 15mm Screw	4
4	 Φ 5/16" * 18 * 1-1/2" L Allen bolt	4
	 Φ 5/16" * Φ 13 Spring washer	
	 Φ 5/16" * Φ 19mm * 2mmT Flat washer	
5	 Φ 5/16" * 18 * 1-1/2" L Allen bolt	4
	 Φ 5/16" * Φ 13 Spring washer	
	 Φ 5/16" * Φ 19mm * 2mmT Flat washer	
6	 Plastic cap	4




HILB 4731-827 Mayberry Swivel Counter Stool - SKU# 43447312

HILB 4731-831 Mayberry Swivel Bar Stool - SKU# 43647316


ASSEMBLY STEP

***Caution: Please read all instructions carefully before starting the assembly process. These parts are cumbersome and heavy. Therefore, two people are recommended in order to prevent personal injury and insure the parts are not damaged during the assembly.




Please do not tighten bolts 100% until after assembly is completed.


Begin assembly by attaching Seat Frame (C) to Stool Back (A) using 2 L Brackets and 2 Allen Bolts per bracket.



Secure Top Seat Frame (C) to Stool Back (A) using 4 Allen Bolts, 4 Spring Washers, and 4 Flat Washers from the underside. Tighten all bolts with Allen Wrench provided.



Attach Seat Cushion (B) to Seat Frame (C) using 4 Screws. Tighten screws with Philips head screwdriver (not included).



Attach Legs (D) to Seat Frame (C) using 1 Allen Bolt, 1 Spring Washer, and 1 Flat Washer per leg.


HILB 4731-827 Mayberry Swivel Counter Stool - SKU# 43447312

HILB 4731-831 Mayberry Swivel Bar Stool - SKU# 43647316

ASSEMBLY STEP


***Caution: Please read all instructions carefully before starting the assembly process. These parts are cumbersome and heavy. Therefore, two people are recommended in order to prevent personal injury and insure the parts are not damaged during the assembly.

STEP 5



Attach Round Stretcher (E) to Legs (D) using 1 Allen Bolt, 1 Spring Washer, and 1 Flat Washer per leg.

STEP 6



Attach Plastic Cap (6) to cover bolts from previous step.